

**COULARRAY COMPLETE BIBLIOGRAPHY**

---

- 61 *Identification and determination of phenolic constituents in natural beverages and plant extracts by means of a coulometric electrode array system.* G.Achilli, G.P.Cellerino, P.H.Gamache, G.Vico Melzi d'Eril. *Journal of Chromatography* 632 ( 1993 ) 111-117  
Oui
- 64 *Monitoring drug levels and their effects on transmitter release in vivo: utility of HPLC ARRAY-ECD analysis and microdialysis sampling procedures.* I.Acworth, K.Gariepy, P. Gamache, J. Yu, E. Ryan, K. Hull, T. Mayer. Presented at the 44th Pittsburg Confere  
Oui
- 65 *The effects of hydralazine and nitroprusside on striatal monoamine and amino acid neurotransmitter systems: simultaneous measurement of drug, neurochemicals, and metabolites in microdialysis perfusates.* I.Acworth, P. Gamache, J. Yu, E. Ryan and T. Maher.  
Oui
- 69 *In vivo neurochemistry of the conscious human brain : intrahippocampal microdialysis in epilepsy.* Matthew J. During. *Microdialysis in the neurosciences 1991 Chap 19, p 425-443.*  
Oui
- 138 *Détermination Simultanée de 27 Dérivés Phénoliques et Herbicides dans l'Eau par HPLC en Utilisant la Détection Electrochimique Multi-Electrodes,* GP. Cellerino et G. Achilli, *Forum Labo, 1994.*  
Oui
- 140 *Analysis of Catechins, Phenolic and Polyphenolic Compounds in tea Using HPLC and Coulometric Array Detection,* I. Acworth, M. Kuo, E. Ryan and P. Gamache, presented at the 1994 Pittsburgh Conference, Chicago.  
Oui
- 141 *Analysis of Phenolic and Flavonoids Having Potential Biological Activity: Examination of Human Urine,* I. Acworth, E. Ryan and P. Gamache, presented at the 1994 Pittsburgh Conference, Chicago.  
Oui
- 142 *Measurement of Vitamins and Endogenous Antioxydants in Food and Other Biological Matrices,* E. Ryan, I. Acworth and P. Gamache, presented at the 1994 Pittsburg Conference, Chicago.  
Oui
- 144 *Analysis of Phenolic and Flavonoid Compounds in Juice Beverages Using High Performance Liquid Chromatography with Coulometric Array Detection,* P. Gamache, E. Ryan and I. Acworth, *Journal of Chromatography, 635 (1993), 143-150.*  
Oui
- 145 *Simultaneous Measurement of Monoamines, Amino Acid and Drug Levels, Using HPLC and Coulometric Array Technology: Application to in Vivo Microdialysis Perfusate Analysis,* I. Acworth, E. Ryan, P. Gamache and T. Mayer.  
Oui
- 147 *Multi-Electrode Detection Systems for Determination of Neurotransmitters,* M. Naoi, W. Maruyama, I. Acworth, D. Nakahara and H. Parvez. 39 pages.  
Oui
- 150 *Anaesthesia Effects on in Vivo Acetylcholine Transmission; Comparisons of Radioenzymatic and HPLC Assays,* R. Bertorelli, A. Hallstrom, Y. Hurd, A. Karlsson, S. Consolo and U. Ungerstedt, *European Journal of Pharmacology, 175 (1990), 79-83.*  
Oui
- 174 *Multi-Electrode Array Detectors in High Performance Liquid Chromatography: A New dimension in Electrochemical Analysis,* C. Svendsen, *Analyst. Vol. 118, Feb. 1993.*  
Oui
- 175 *Determination of Amines in Wines by High Performance liquid Chromatography with Electrochemical Coulometric Detection After Precolumn Derivatization,* G. Achilli, G.P. Cellerino and G. Melzi d'Eril, (1993), 13 pages.  
Oui
- 176 *Urine Metanephrines Using the CEAS,* ESA, (1993), 39 pages.  
Oui

**COULARRAY COMPLETE BIBLIOGRAPHY**

---

- 180 *Simultaneous Determination of 35 Phenolic Compounds in Fermented Beverages Using Coulometric Electrode Array System (CEAS)*, G. Achilli, G.P. Cellerino and G. Melzi d'Eril, January 1992, report 1033, 14 pages.  
Oui
- 185 *Analysis of orange juice concentrates on the Coulochem Electrode Array System -CEAS -G.Achilli*, G.P.Cellerino(1994)  
Oui
- 274 *Simultaneous Determination Of 27 Phenols And Herbicides In Water Using Multielectrode Electrochemical Detection*, G. Achilli, GP. Cellerino, G. Melzi d'Eril and S. Bird.  
Oui
- 293 *The Potential Of Degenerative Disorder Diagnosis Based On Biochemical Pattern Or Profile Analysis*. P.E.Milbury, M.Flint Beal & W.R.Matson. Presented At The Fourth International Conference On Alzheimer's Disease And Related Disorders. July-August 1994.  
Oui
- 300 *HPLC Mit Coulometrischer Elektroden-Array-Detektion. Bestimmung Von 1-O-Trans-p-Cumaroylglycerol In Sorghumhrise, Mais Und Bier*. I. Bernwieser, R. Pätzold, R. Galensa, G. Sontag. *Z Lebensm Unters Forsch* ( 1994 ) 198: 40-43.  
Oui
- 318 *Determination of Explosives using the Coulochem Electrode Array System - G.Achilli and GP.Cellerino - ESA*  
Oui
- 326 *Determination Of Illicit Drugs And Related Substances By Using HPLC With Electrochemical Coulometric Array Detector-G.Achilli, G.P. Cellerino, G.Melzi d'Eril, F.Tagliaro. Presented at HPLC 95, Innsbruck, Austria, May 28, June 2nd 1995*.  
Oui
- 330 *Eosinophilia-Myalgia Syndrome : Analysis Of Control And Contaminated Tryptophan Supplements- EC Array Brief- ESA, Chelmsford, USA*.  
Oui
- 333 *Improved High-Performance Liquid Chromatographic Method For The Determination Of Coenzyme Q10 In Plasma- G. Grossi, A. M. Bargossi, P.L. Fiorella, S.Piazzi, M.Battino, G.P. Bianchi- Journal Of Chromatography, 593 (1992) 217-226*.  
Oui
- 342 *Détermination Des explosifs. Evaluation D'un Détecteur à Barrette d'Electrodes pour la Détermination Des Traces d'Explosifs Dans Des Matrices Complexes- Eurosep Instruments- X. Allain, K. AMOURA, L. Martinez*.  
Oui
- 357 *Coulometric Electrochemical Detection Of Hydroxyproline Using 7-Chloro-4-Nitrobenzo-2-Oxa-1,3-Diazole - R.W.Welch, I. Acworth, M. Levine - National Institutes Of Health, Bethesda, USA;*  
Oui
- 531 *Urinary Metanephrine and Normetanephrine determined without Extraction by Using Liquid Chromatography and Coulometric Array detection - P. Gamache, M. Kingery, I.A. Acworth - Clinical Chemistry, Vol.39, N°9, 1993, 1825-1830*  
Oui
- 537 *The Coulometric Electrode Array for Use in HPLC analysis - I.N. Acworth and P. Gamache - American laboratory- may 1996-33-38*  
Oui
- 561 *Détermination des Thiols, Performance et Efficacité de la Barette d'Electrodes - INRA de Nantes - Xavier Allain, Laurent Martinez - 11 pages, octobre 1996*.  
Oui
- 582 *Xenoestrogens on the CoulArray - Marketing Sales Interface ESA Application*.  
Oui

## COULARRAY COMPLETE BIBLIOGRAPHY

- 671 *Determination of Benzodiazepines by HPLC with Electrochemical Coulometric-Array Detector and Photochemical Activation* - G. Achilli, GP. Cellerino, D. Friscione - ESA (1996).  
Oui
- 702 *Folinic Acid Responsive Seizures : a New Syndrome ?* K.HYLAND, N. BUIST, B. POWELL, G. HOFFMAN, D. RATING, J. McGRATH, I.N. ACWORTH. *J. Inher. Metab. Dis.* 18 (1995) 177-181. ABSTRACT  
Non
- 722 *Sensitive method for the simultaneous measurement of fluphenazine decanoate & fluphenazine in plasma by high-performance liquid chromatography with coulometric detection*, by J-P. Luo, J-W. Hubbard & K.K. Midha. *J.Chromato.B.*688(1997)ABSTRACT  
Non
- 724 *Assay for the determination of urinary 8-hydroxy-2'-deoxyguanosine by high performance liquid chromatography with electrochemical detection*, by D.Germadnik, A.Pilger, HW. Rudiger. *J. Chromatog.B.*689(1997) P399-403.ABSTRACT  
Non
- 833 *Quantification of Protein-Bound 3-Nitrotyrosine and 3,4-Dihydroxyphenylalanine by High-Performance Liquid Chromatography with Electrochemical Array Detection* by Hensley, Maitt, Pye, Stewart, Wack, Tabatabaie & Floyd. *Analytical Biochem.* 251, PP187-195 (1997).  
Oui
- 1093 *Carotenoid Determination in Biological Microsamples Using Liquid Chromatography with a Coulometric Electrochemical Array Detector*, M. FERRUZZI, L.C. SANDER, C.L. ROCK and S.J. SCWARTZ, *Analytical Biochemistry* 256( 1998), PP. 74-81.  
Oui
- 1095 *Automated Analysis of Urinary VMA, HVA, and 5-HIAA by Gradient HPLC Using an Array of Eight Coulometric Electrochemical Detectors*- M.H. Cheng, A.I. Lipsey, J. Lee & P.H. Gamache- LRA, Vol. 4, PP-297-303  
Oui
- 1102 *Analysis of Phytoestrogens and Polyphenols in Plasma, Tissue, and Urine Using HPLC with Coulometric Array Detection*, Paul H.GAMACHE and Ian N.ACWORTH.  
Oui
- 1133 *Détermination de L'Iode, Performance et Efficacité de la Barrette d'Electrodes/Evaluation d'un Détecteur à Barrette d'Electrodes pour la Détermination de l'Iode dans Diverses Matrices*, X. ALLAIN  
Oui
- 1137 *Determination of Synthetic Phenolic Antioxidants in Food Using Gradient HPLC with Electrochemical Array Detection*, D.R. Mc Cabe and I.N. Acworth, *American Laboratory News* (1998), 30(3), 18B-18D  
Oui
- 1159 *Simultaneous Analysis of the Majority of Low-Molecular-Weight, Redox-Active Compounds from Mitochondria*, B. KRISTAL, K. VIGNEAU-CALLAHAN & W. MATSON, *Analytical Biochemistry* 263, 18-25 (1998)  
Oui
- 1165 *An Improved Method for the Detection of Nucleosides, Bases & Hydroxylated Adducts Using Gradient HPLC with Coulometric Array & UV Detection*, D. McCabe, K. Hensley & IA. Acworth, ESA, Inc. & Oklahoma Medical Research Foundation-presented at Pittcon'99  
Oui
- 1166 *Catecholesterol & Metabolite Analysis in Biological Tissue Using HPLC with Coulometric Array Detection*, PH. Gamache & IN. Acworth, ESA, Inc. - Poster presented at Pittcon'99 (Orlando)  
Oui
- 1167 *Lipoic Acid Analysis in Food Supplements by HPLC with Coulometric Array Detection*, AB. Rabovski, J. Cuomo & PH. Gamache - Poster presented at Pittcon'99 (Orlando)  
Oui
- 1168 *Analysis of Vitamins A & D in Milk Using HPLC & Coulometric Array Detection*, Paul H. GAMACHE, Applications Department, ESA Inc., Poster presented at Pittcon'99 (Orlando).  
Oui

**COULARRAY COMPLETE BIBLIOGRAPHY**

---

- 1187 *Comparison of the Bioavailability of Quercetin & Catechin in Rats*, C. MANACH, O. TEXIER, C. MORAND, V. CRESPIY, F. REGERAT, C. DEMIGNE & C. REMESY - *Free radical Biology & Medicine*, Vol. 27, Nos 11/12, pp.1259-1266 (1999)  
Oui
- 1189 *Sensitive HPLC Method for Profiling Phytoestrogens Using Coulometric Electrode Array Detection : Application to Plasma Analysis*, T. NURMI & H. ADLERCREUTZ - *Analytical Biochemistry* 274 (1999), 110-117  
Oui
- 1194 *Screening of Homocysteine from new-born blood spots by HPLC with Coulometric Array Detection*, Oui ACCINNI, BARTESAGHI, DE LEO, CURSANO, ACHILLI, CELLERINO & PARODI
- 1196 *Determination of biological oxidative stress using HPLC with Electrochemical Detection (HPLC-ECD)*, HENSLEY, WILLIAMSON, MAIDT, GABBITA, GRAMMAS & FLOYD - *J. High Resol. Chromatogr* (1999), 22, pp.429-437  
Oui
- 1202 *Coulometric Array HPLC Analysis of Lipid-Soluble Vitamins & Antioxidants by Paul GAMACHE, Scott FREETO & Ian ACWORTH, American Clinical Laboratory, August 1999*  
Oui
- 1205 *A Sensitive & Selective Method for the Determination of Tissue 8-Hydroxy-2'-Deoxyguanosine using HPLC with Electrochemical Array Detection by D. McCabe, I. Acworth, M. Lindsay Maidt & R. Floyd, Poster presented at the 88th Annual Meeting of the AACR (1997)*  
Oui
- 1224 *HPLC-Coulometric Array Analysis of trans-Resveratrol, Quercetin & Kaempferol in Human plasma by Paul H. GAMACHE & Ian N. ACWORTH, ESA Inc. USA*  
Oui
- 1225 *Method for the Detection of Environmental Estrogens in Water & Wastewater Using Gradient HPLC with Electrochemical Array Detection by Douglas R. MCCABE, Paul H. GAMACHE & Ian N. ACWORTH ESA, Inc. USA*  
Oui
- 1226 *HPLC-Electrochemical Detection for Phytoestrogen Analysis : Isoflavones & Lignans in Human Serum & Animal Tissue by Paul H. GAMACHE, Scott M. FREETO & Ian N. ACWORTH, Journal of Medicinal Food (1999), Vol.2, N°3-4*  
Oui
- 1227 *Method for the Detection of Nucleosides, Bases & Hydroxylated Adducts Using Gradient HPLC with Coulometric Array & Ultraviolet Detection by Douglas R. McCABE, Kenneth HENSLEY & Ian N. ACWORTH, Journal of Medicinal Food (1999), Vol.2, N°3-4*  
Oui
- 1257 *Method for the Detection of Nucleosides, Bases & Hydroxylated Adducts Using Gradient HPLC with Coulometric Array & Ultraviolet Detection, D. McCabe, K. Hensley & I. Acworth, Journal of Medicinal Food, Vol.2, N°3-4 (1999)*  
Oui
- 1410 *Quercetin 3-O-B-Glucoside is Better Absorbed than Other Quercetin Forms & is not Present in Rat Plasma*, C. MORAND, C. MANACH, V. CRESPIY & C. REMESY, *Free Rad. Res.*, Vol. 33, PP. 667-676 (2000)  
Oui
- 1458 *A reliable assessment of 8-oxo-2-deoxyguanosine levels in nuclear & mitochondrial DNA using the sodium iodide method to isolate DNA*, HAMILTON M.L. et coll., *Nucleic Acids Research* (2001), Vol. 29, N°10, PP. 2117-2126  
Oui
- 1499 *Métabolisme des Nitrosamines Spécifiques du Tabac : Analyse de l'HPB. Détection coulométrique associée à une activation par UV*, Xavier ALLAIN - EUROSEP Instruments.  
Oui
- 1501 *An Introduction to HPLC-Based Electrochemical Detection : From Single Electrode to Multi-Electrode Arrays*, Ian N. ACWORTH & Mark BOWERS, ESA Inc.  
Oui

## COULARRAY COMPLETE BIBLIOGRAPHY

---

- 1553 *The Use of HPLC Coulometric Array Detection in the analysis of flavonoids in Complex matrices -*  
Oui *Claudine MANACH - Methods in Polyphenol Analysis (2003)*